

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/27/2016

Version No: 6

Reviewed on 01/27/2016

1 Identification

- **Product identifier**
- **Trade name:** JADEWIN UVP
- **CAS Number:**
2440-22-4
- **EC number:**
219-470-5
- **Application of the substance / the mixture** Plastic additive
- **Uses advised against:** No further relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

QINGDAO JADE NEW MATERIAL TECHNOLOGY CO.,LTD

Address: Room 411, Building2, No318 Longshui Road,
Licang District, Qingdao, Shandong Province , China.

Tel:+86 18561336360 Fax:4008892163 - 108245

- **Emergency telephone number:** +86 185 6133 6360

2 Hazard(s) identification

- **Classification of the substance or mixture**
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
H317 May cause an allergic skin reaction.
- **Precautionary statements**
 - P261 Avoid breathing dust/fume/gas/mist/vapors/spray
 - P280 Wear protective gloves.
 - P272 Contaminated work clothing must not be allowed out of the workplace.
 - P363 Wash contaminated clothing before reuse.
 - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 - P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 - P391 Collect spillage.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/27/2016

Version No: 6

Reviewed on 01/27/2016

(Contd. of page 1)

P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** No
- **vPvB:** No

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol
- **Identification number(s)**
- **EC number:** 219-470-5

* 4 First-aid measures

- **Description of first aid measures**
- **General information:**
Take affected persons out of danger area and lay down.
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:** Supply fresh air.
- **After skin contact:** Clean with water and soap. If possible, also wash with polyethylene glycol 400.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Remove contact lenses, if present and easy to do. Continue rinsing.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/27/2016

Version No: 6

Reviewed on 01/27/2016

(Contd. of page 2)

- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Carbon monoxide
Carbon dioxide
Nitrogen oxides (NO_x)
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation.
Wear protective clothing.
Avoid formation of dust.
Keep away from ignition sources.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Pick up mechanically.
Dispose of the collected material according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Prevent formation of dust.
Any deposit of dust which cannot be avoided must be regularly removed.
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
Dust can combine with air to form an explosive mixture.
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** Store in dry conditions.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/27/2016

Version No: 6

Reviewed on 01/27/2016

(Contd. of page 3)

· **Additional Occupational Exposure Limit Values for possible hazards during processing:**

PEL: 15* 5** mg/m³

* total dust **respirable fraction

REL: 10* 5** mg/m³

* total dust **respirable fraction

TLV: 10 mg/m³

Dust Value

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Color: Yellowish

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: 128-132 °C (262-270 °F)

Boiling point/Boiling range: Not determined.

· **Flash point:** 205 °C (401 °F)

· **Flammability (solid, gaseous):** Product is not flammable.

· **Ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/27/2016

Version No: 6

Reviewed on 01/27/2016

(Contd. of page 4)

· Auto igniting:	<i>Not determined.</i>
· Danger of explosion:	<i>Product does not present an explosion hazard.</i>
· Explosion limits:	
· Lower:	<i>Not determined.</i>
· Upper:	<i>Not determined.</i>
· Oxidizing properties	<i>No</i>
· Vapor pressure:	<i>Not applicable.</i>
· Density at 20 °C (68 °F):	<i>1.38 g/cm³ (11.516 lbs/gal)</i>
· Relative density	<i>Not determined.</i>
· Vapor density	<i>Not applicable.</i>
· Evaporation rate	<i>Not applicable.</i>
· Solubility in / Miscibility with Water at 20 °C (68 °F):	<i>0.00017 g/L</i>
· Partition coefficient (n-octanol/water):	<i>4.2 @ 25 °C (OECD Guideline 107) (logPow)</i>
· Viscosity:	
· Dynamic:	<i>Not applicable.</i>
· Kinematic:	<i>Not applicable.</i>
· Other information	<i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability** *No decomposition if used and stored according to specifications.*
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	10000 mg/kg (Rat) (OECD Guideline 423)
Dermal	LD50	> 2000 mg/kg (Rat) (US AFDO)
Inhalative	LC50 (4h)	> 590 mg/L (Rat) (OECD Guideline 403, inhalation:aerosol)

- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *No irritating effect.*
- **Sensitization:** *Sensitization possible through skin contact.*
- **Additional toxicological information:**
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** *Substance is not listed.*
- **NTP (National Toxicology Program)** *Substance is not listed.*

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/27/2016

Version No: 6

Reviewed on 01/27/2016

· **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

(Contd. of page 5)

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

EC50 (24h) (static)	> 1000 mg/L (Daphnia) (OECD Guideline 202, Daphnia magna)
EC50 (3h) (static)	> 100 mg/L (Bacteria) (OECD Guideline 209, activated sludge)
EC50 (72h) (static)	> 100 mg/L (Algae) (87/302/EEC, Desmodesmus subspicatus) Read-across to CAS 3896-11-5
LC50 (96h) (static)	> 0.17 mg/L (Fish) (OECD Guideline 203, Oncorhynchus mykiss)
NOEC (21d) (static)	0.013 mg/L (Daphnia) (OECD Guideline 211, Daphnia magna)
NOEC (72h) (static)	33 mg/L (Algae) (87/302/EEC, Desmodesmus subspicatus) Read-across to CAS 3896-11-5

· **Persistence and degradability**

Not readily biodegradable
0 - 2 % @ 28 d, OECD Guideline 301B (CO₂ evolution)

· **Behavior in environmental systems:**

· **Bioaccumulative potential**

Due to the distribution coefficient n-octanol/water an accumulation in organisms is possible.

· **Mobility in soil** $\geq 425 \leq 2704$ (calculated) Koc

· **Ecotoxicological effects:**

· **Remark:**

The declaration of the toxic action refers to the nominal concentration.
Tested above the maximum solubility.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Must be specially treated adhering to official regulations.

· **Uncleaned packagings**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/27/2016

Version No: 6

Reviewed on 01/27/2016

®

(Contd. of page 6)

· UN-Number · DOT, ADR, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, IMDG, IATA	Void
· Transport hazard class(es) · DOT, ADR, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
· Transport/Additional information: · DOT · Remarks:	Special marking with the symbol (fish and tree).

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is not listed.
- **TSCA (Toxic Substances Control Act):** Substance is listed.
- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **New Jersey Right-to-Know List:** Substance is not listed.

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/27/2016

Version No: 6

Reviewed on 01/27/2016

(Contd. of page 7)

- **New Jersey Special Hazardous Substance List:** Substance is not listed.
- **Pennsylvania Right-to-Know List:** Substance is not listed.
- **Pennsylvania Special Hazardous Substance List:** Substance is not listed.

- **Cancerogenity categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value established by ACGIH)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.

- **Chemical Inventories:**
- Australia - AICS
- Canada - DSL
- EU - EINECS
- China - IECSC
- Japan - ENCS
- New Zealand - NZIoC
- Korea - ECL
- USA - TSCA
- Philippines - PICCS

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** 01/27/2016 / 5

- **Abbreviations and acronyms:**
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*
- ICAO: International Civil Aviation Organisation*
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals*
- MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships*
- IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk*
- UN: United Nations (also UNO: United Nations Organization)*
- NOEC: No Observed Effect Concentration*
- OECD: Organisation for Economic Co-operation and Development*
- ASTM: American Society for Testing and Materials*
- WAF: Water Accommodated Fraction*
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*
- IMDG: International Maritime Code for Dangerous Goods*
- DOT: US Department of Transportation*
- IATA: International Air Transport Association*
- P: Marine Pollutant*
- ACGIH: American Conference of Governmental Industrial Hygienists*
- EINECS: European Inventory of Existing Commercial Chemical Substances*
- CAS: Chemical Abstracts Service (division of the American Chemical Society)*
- NFPA: National Fire Protection Association (USA)*
- HMS: Hazardous Materials Identification System (USA)*
- LC50: Lethal concentration, 50 percent*
- LD50: Lethal dose, 50 percent*
- PBT: Persistent, Bioaccumulative and Toxic*
- vPvB: very Persistent and very Bioaccumulative*
- NIOSH: National Institute for Occupational Safety*
- OSHA: Occupational Safety & Health*

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/27/2016

Version No: 6

Reviewed on 01/27/2016

(Contd. of page 8)

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

· *** Data compared to the previous version altered.**

US